KA7120

- PS/2 KVM Adapter Cable (CPU Module)
- The KA7120 PS/2 KVM Adapter Cable connects the KVM switch to the video and PS/2 mouse and keyboard ports of the target computer. With its small form factor and light weight design, it represents the next generation of PS/2 KVM Adapter Cables - offering superior signal compensation and delay skew techniques for greatly enhanced video quality.

Features

- Auto Signal Compensation (ASC), no DIP switch setting needed for the different distances
- Keyboard and mouse emulation - keeps your server functioning smoothly when it is disconnected from the switch's KVM port or relocated to different KVM port
- Lifetime firmware upgrades
- Superior video quality - supports resolution of up to 1600 x 1200 within the distance of up to 50m
- Built in ASIC for greater reliability and compatibility
- CPU module designed with automatic conversion to allow for flexible interface combinations (PS/2, USB) to control all computer types (PC)
- Compact size

    *1680 x 1050 (Reduced blanking) and 1920 x 1200 (Reduced blanking) not supported by KA7xxxx KVM Adapter Cables

Specification

Connectors	Link	1 x RJ-45 Female
	Mouse to computer	1 x Min Din 6 Male

	Keyboard to computer	1 x Min Din 6 Male
	VGA to computer	1 x HDB-15 Male
LEDs	On Line	1 (Green)
	Link	1 (Orange)
Physical Properties	Housing	Plastic
	Weight	0.12 kg
	Dimensions (L x W x H)	9.00x4.30x2.18cm

Diagram

KN4140v(Rear)

Cat 5e Cable

KA7120

PC