



ATEN Technology, Inc.  
www.aten-usa.com



## VGA Video Extender (over CAT5) VE150


VE-150 video extender kit contains a local transmitting unit and a remote receiving unit which are connected by standard Category 5 UTP cables. The distance of both units can be extended up to 500 ft. (150m). It is ideal for factories and construction sites, or any location where the display may need to expose in a risky setting, but you want the system to be kept in a safe location.

Distributor Part NO. : Contact Aten for part number @ 949.428.1111

### Features:

- Supports a local and a remote display
- Uses economical, reliable Category 5 Ethernet cable to connect the local and remote units
- Long distance transmission - up to 500 ft. (150 m)
- 16 position adjustable video gain control to compensate for distance
- Supports VGA, SVGA, XGA, SXGA and Multisync monitors
- Supports DDC for the local monitor
- Easy to install
- OS Compatibility: WINs、 LINUX、 Mac OS 8.6/9/10 and SUN Solaris 8/9

### Diagram :



## Requirements:

## Package Content:

- 1x VE-150L (Local Unit)
- 1x VE-150R (Remote Unit)
- 2x Power Adapters
- 1x VGA Cable
- 1x User Guide

## Specification :

Housing	
Case	Metal
LEDs	
Power On	1
Power Consumption	1.2 W
Video Resolution	up to: 1280 x 1024 (up to 150m. / 500 ft.)
Signal Type	VGA, SVGA , XGA, SXGA and Multisync
Cable Distance	500 ft. (150 m.)
Cable Type	Category 5 UTP
Video Performance	up tp: 500 ft (150 m)
Connectors (Computer)	Local: 1x VGA (HDDB-15) Male
Connectors (Console)	Local: 1 x VGA (HDDB-15) Female
Connectors	
Link	1 x RJ45 Socket
Power	1x DC 5.3V Jack

Power Adaptor Part #	
for North America	# 0AD8-0605-241G
for Continental Europe	# 0AD6-1605-241G
for UK	# 0AD4-3605-241G
Unit Dimensions	
Width	3.4 in. (8.6 cm)
Height	0.9 in. (2.3 cm)
Length	7.7 in. (12.0 cm)
Unit Package Dimensions	
Width	8.75 in.
Height	10.5 in.
Depth	3.75 in.
Master Carton	
Width	9.75 in.
Height	11.75 in.
Depth	20.25 in.
Master Carton Qty.	5
Weight	
Master Carton Wt.	15.20 lbs.
Unit Pack Wt.	2.80 lbs.
Unit Wt.	0.25 Kg for both loca and remote units,