



# 2-Port Video Switch VS291

2-Port Video Switch.

Electronics Switching for greater reliability and Durability.

Dispalys the output of two computers on a single monitor high resolution video up to 1920 x 1440.

Distributor Part NO. : Contact Aten for part number @ 949.428.1111

### Features:

DDC; DDC2; DDC2B Supports, VGA, SVGA, XGA and Multisync Monitors or equivilent multimedia projector

- 92

-101

- $\rightarrow$  Easy Installation -
- ightarrow No Software Required -
- ightarrow No Configuration Necessary
- → Computer Selection via Pushbutton Switch

#### Diagram :



÷

чр.

.46.

-qr

#### Requirements: Requirements:

# Package Content:

## Specification :

Deuter Concurrentian	100mA
Power Consumption	TOOMA
Cable Connections	
Input	2 x VGA (HDDB-15) Male
Output	1 x VGA (HDDB-15) Female
Cable Distance	10 m. (30 feet)
Power Adaptor Part #	
for North America	# 0AD1-0909-031G
for Continental Europe	# OAD6-1909-031G
for UK	# 0AD4-3909-031G
Unit Dimensions	
Width	2.4 in. (6.0 cm)
Height	1.7 in. (4.4 cm)
Depth	4.7 in. (12.0 cm)
Unit Package Dimensions	
Width	905 in.
Height	6.375 in.

Depth	2.5 in.	
Master Carton		
Width	13.75 in.	
Height	13.75 in.	
Depth	19.75 in.	
Master Carton Qty.	20	
Weight		
Master Carton Wt.	21.3 lb.	
Unit Pack Wt.	1.06 lb.	